

## Accumulation Limits

Species category	QS and IBQ control limit (in percent)
Arrowtooth flounder	10
Bocaccio S. of 40°10' N. lat.	13.2
Canary rockfish	4.4
Chilipepper S. of 40°10' N. lat.	10
Cowcod S. of 40°10' N. lat.	17.7
Darkblotched rockfish	4.5
Dover sole	2.6
English sole	5
Lingcod: N. of 40°10' N. lat.	2.5
S. of 40°10' N. lat.	2.5
Longspine thornyhead N. of 34°27' N. lat.	6
Minor rockfish complex N. of 40°10' N. lat.:	
Shelf species	5
Slope species	5
Minor rockfish complex S. of 40°10' N. lat.:	
Shelf species	9
Slope species	6
Other flatfish stock complex	10
Pacific cod	12
Pacific halibut (IBQ) N. of 40°10' N. lat.	5.4
Pacific ocean perch N. of 40°10' N. lat.	4
Pacific whiting (shoreside)	10
Petrale sole	3
Sablefish:	
N. of 36° N. lat. (Monterey north)	3
S. of 36° N. lat. (Conception area	10
Shortspine thornyhead:	
N. of 34°27' N. lat.	6
S. of 34°27' N. lat.	6
Splitnose rockfish S. of 40°10' N. lat.	10
Widow rockfish	5.1
Yelloweye rockfish	5.7
Yellowtail rockfish N. of 40°10' N. lat.	5
Non-whiting groundfish species	2.7